# 5 VI RANGE

- Tapes
- Masks
- Sprays
- Abrasives
- Bumpons
- Office Supplies
- Dual Lock
   and much much more

www.directa.co.uk 01621 828882







# 3M<sup>™</sup>SCOTCH 371 PACKAGING TAPE

- Easy to peel off the roll
- Provides a strong stick and seal
- Polypropylene backing and a hot melt, solvent free synthetic rubber resin adhesive system
- Consistent and reliable performance

Product Code	Description	Sizes
371BUCK	3M™ Scotch 371 Packaging Tape - Clear	48mm x 66M
371BBUCK	3M™ Scotch 371 Packaging Tape - Buff	50mm x 66M
371BFCTCK	3M™ Scotch 371 Packaging Tape - Buff	75mm x 66M

# 3M<sup>™</sup>SCOTCH 607 CLEAR STATIONERY TAPE

- One of the most versatile tapes on the market
- Used in a variety of packaging and jointing applications where an invisible seal is required
- Easy unwindHigh tack adhesive

Product Code	Description	Sizes
02009BSCK	3M™ Scotch 607 Stationery Tape – Clear	50mm x 66M
02009AUCK	3M™ Scotch 607 Stationery Tape - Clear	25mm x 66M





# 3M<sup>™</sup>SCOTCH MAGIC MATT TAPE

- Invisible in use
   Can be written on
- Won't ghost on photocopies
- Will not go vellow with age
   Dispenses easily

Product Code	Description	Sizes
82081APBD	3M™ Scotch 810 Magic Tape - Transparent	19mm x 33M
82081AVCK	3M™ Scotch 810 Magic Tape - Transparent	25mm x 33M





### 3M<sup>™</sup>101E GENERAL PURPOSE MASKING TAPE



- Crepe paper backing
   Smooth surface
- Works at temperatures up to 60°C
- Ideal for joint sealing applications, temporary fixing, attaching or holding and label marking

Product Code	Description	Sizes
20010AIBU	3M™ 101E General Purpose Masking Tape	12mm x 50M
20010AOBU	3M™ 101E General Purpose Masking Tape	18mm x 50M
20010CQBU	3M™ 101E General Purpose Masking Tape	72mm x 50M
20010DMBU	3M™ 101E General Purpose Masking Tape	96mm x 50M

#### 3M<sup>™</sup>201E GENERAL PURPOSE MASKING TAPE

- Conformable tape, does not tear when unfolding
- Crepe paper backing
   Works at temperatures up to 80°C
- Ideal for joint sealing applications, temporary fixing, attaching or holding and label marking
- Reduces paint build-up and provides good paint lines

Product Code	Description	Sizes
20110AIBU	3M™ 201E General Purpose Masking Tape	12mm x 50M
20110AOBU	3M™ 201E General Purpose Masking Tape	19mm x 50M
20110AUBU	3M™ 201E General Purpose Masking Tape	24mm x 50M
20110BGBU	3M™ 201E General Purpose Masking Tape	36mm x 50M
20110BSBU	3M™ 201E General Purpose Masking Tape	48mm x 50M
20110CQBU	3M™ 201E General Purpose Masking Tape	75mm x 50M
20110DMBU	3M™ 201E General Purpose Masking Tape	96mm x 50M





#### 3M<sup>™</sup>1104 LOW ADHESION MASKING TAPE

- It allows a sharp demarcation Good masking in the curves
- Designed for applications where less aggressive adhesion is required
- Used in most masking operations
- Cleanly removed after a cooking time of 45 minutes at 120 °

<b>Product Code</b>	Description	Sizes
1104AVBU	3M™ 1104 Low Adhesion Masking Tape	25mm x 50M
1104BUBU	3M™ 1104 Low Adhesion Masking Tape	50mm x 50M
1104CTBU	3M™ 1104 Low Adhesion Masking Tape	75mm x 50M
1104DSBU	3M™ 1104 Low Adhesion Masking Tape	100mm x 50M







#### 3M<sup>™</sup>501E HIGH TEMPERATURE MASKING TAPE

- Crepe paper tape
   Coated with a 150 mm thick rubber adhesive
- Works at temperatures up to 160°C
- Suitable for: automotive, specialty vehicle, and industrial markets
- Excellent solvent and moisture resistance



Product Code	Description	Sizes
26100APBU	3M™ 501E High Temperature Masking Tape	19mm x 50M
26100AVBU	3M™ 501E High Temperature Masking Tape	24mm x 50M
26100BIBU	3M™ 501E High Temperature Masking Tape	36mm x 50M
26100BUBU	3M™ 501E High Temperature Masking Tape	48mm x 50M
26100CTBU	3M™ 501E High Temperature Masking Tape	72mm x 50M

#### 3M<sup>™</sup>8902 POLYESTER MASKING TAPE

- 0.09mm Thick
   Suitable for up to 20°C
- No residue when removed
   Perfect for fine line definition
- Works well with applications requiring high temperatures or adhesion to silicone treated surfaces

Product Code	Description	Sizes
8902AVCK	3M™ 8902 Polyester Masking Tape	25mm x 66M
8902BUCK	3M™ 8902 Polyester Masking Tape	50mm x 66M



#### 3M<sup>™</sup> SCOTCH 2090 BLUE PAINTERS MASKING TAPE

- Ideal for paint masking on multiple surfaces including painted walls, trim, woodwork, glass and metal
- Features a crepe backing
- Sticks smoothly and securely, even to curved or uneven surfaces



Product Code	Description	Size
2090BUBU	3M™ Scotch 2090 Painters Masking Tape	50mm x 50M





**RANGE** 

# 3M<sup>™</sup> 9088 HIGH PERFORMANCE DOUBLE COATED TAPE

- 200µm thick tape with a PET carrier, Solventless adhesive technology
- Resistant to UV light, chemicals and high temperatures
- Highly uniform and homogeneous coating appearance for easy use

Product Code	Description	Sizes
DT272990748	3M™ 9088 High Perf. D/Coated Tape - Clear	9mm x 50M
DT27299075	3M™ 9088 High Perf. D/Coated Tape - Clear	12mm x 50M
DT27299077	3M™ 9088 High Perf. D/Coated Tape - Clear	19mm x 50M
DT27299078	3M™ 9088 High Perf. D/Coated Tape - Clear	25mm x 50M
DT27299079	3M™ 9088 High Perf. D/Coated Tape - Clear	38mm x 50M
DT27299080	3M™ 9088 High Perf. D/Coated Tape - Clear	50mm x 50M





#### 3M<sup>™</sup>9087 DOUBLE COATED ROUGH SURFACE TAPE

- Bond smooth, rough or textured surfaces with high tack, immediate bond, quick stick and high adhesion
- Use for multiple application across many industries
- Maximum operating temperature 85°C

Product Code	Description	Sizes
DT27299100	3M™ 9087 D/Coated Rough Tape - White	9mm x 50M
DT27299101	3M™ 9087 D/Coated Rough Tape - White	12mm x 50M
DT27299103	3M™ 9087 D/Coated Rough Tape - White	19mm x 50M
DT27299104	3M™ 9087 D/Coated Rough Tape - White	25mm x 50M
DT27299106	3M™ 9087 D/Coated Rough Tape - White	50mm x 50M

# 3M<sup>™</sup>9080 DOUBLE COATED TAPE

- Double coated acrylic adhesive on a non-woven tissue carrier
- Very high level of initial tack
- Good adhesion to a wide variety of surfaces, including LSE materials

Product Code	Description	Sizes
957309AVBU	3M™ 9080 Double Coated Tape	25mm x 66M
957309BUBU	3M™ 9080 Double Coated Tape	50mm x 66M





## 3M<sup>™</sup>9528 DOUBLE COATED FOAM TAPE

- Mount posters or display items, plastic nameplates and parts and manufacture sample cards
- Thick PTFE coating gives an exceptionally smooth non-stick, low-friction surface

Product Code	Description	Sizes
9528AICK	3M™ 9528 Double Coated Foam Tape	19mm x 66M
9528AVCK	3M™ 9528 Double Coated Foam Tape	25mm x 66M







#### 3M<sup>™</sup>4950 VHB ACRYLIC FOAM TAPE

- Creates a permanent seal against water, moisture, salt and much more
- General purpose adhesive on both sides of firm type foam
   1.1mm thick
- Reliably bonds a variety of materials with strength and speed for permanent applications

<b>Product Code</b>	Description	Sizes
4950AIBD	3M™ 4950 VHB Foam Tape - White	12mm x 33M
4950AVBD	3M™ 4950 VHB Foam Tape - White	25mm x 33M

# 3M<sup>™</sup> 4611F VHB ACRYLIC FOAM TAPE

- High temperature resistance 1.1mm thick
- Creates a permanent seal against water, moisture and more
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength which allows the use of thinner, lighter weight and dissimilar materials
- Ideal for bonding panels to a metal frame

<b>Product Code</b>	Description	Size
4611FAIBD	3M™ 4611F VHB Acrylic Foam Tape – Dark Grey	12mm x 33M





#### 3M<sup>™</sup>4910 VHB HEAVY DUTY FOAM TAPE

- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
   1mm thick
   Max operating temp 149°C
- Virtually invisible fastening keeps surfaces smooth
- Can replace mechanical fasteners (rivets, welding, screws) or liquid adhesives: Eliminate drilling, grinding, refinishing, screwing, welding and clean-up

Product Code	Description	Size
4910AVBD	3M™ 4910 VHB Heavy Duty Foam Tape – Clear	25mm x 33M

#### 3M<sup>™</sup>4943 VHB FOAM TAPE

- Bonds at low temperatures above 0°C 1.1mm thick
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
- Resistant to solvents, temperature extremes and U.V. light

Product Code	Description	Size
4943AVBD	3M™ 4943 VHB Acrylic Foam Tape – Grey	25mm x 33M







# 3M<sup>™</sup> RP45 VHB ACRYLIC FOAM TAPE

- Fast and easy-to-use permanent bonding method provides high strength and long-term durability • 1.1mm thick
- Pressure sensitive adhesive bonds on contact to provide immediate handling strength
- Virtually invisible fastening keeps surfaces smooth
- Suitable for use in extreme weather conditions

<b>Product Code</b>	Description	Sizes
RP45AIBG	3M™ RP45 VHB Acrylic Foam Tape – Grey	12mm x 33M
RP45APBG	3M™ RP45 VHB Acrylic Foam Tape – Grey	19mm x 33M
RP45AVBG	3M™ RP45 VHB Acrylic Foam Tape – Grey	25mm x 33M





#### 3M<sup>™</sup> VHB SURFACE CLEANER

- Isopropyl Alcohol cleaner for preparing surfaces prior to bonding with 3M™ VHB tapes
- Leaves no residue when cleaning surfaces

<b>Product Code</b>	Description	Size
3MVHBCLEAN	3M™ VHB Surface Cleaner	1 Litre

#### 3M<sup>™</sup> SCOTCH-WELD TAPE PRIMER 83

- Increase the adhesion of a tape to critical surfaces substantially to bonding with 3M™ VHB tapes
- Not recommended for polystyrene and highly siliconised materials

Product Code	Description	Size
85999999	3M™ Scotch-Weld Primer 83	1 Litre





#### 3M™ INDUSTRIAL CLEANER

- Heavy duty cleaner/degreaser that works effectively on difficult to remove substances
- Ideal for the removal of unwanted grease, dirt and oil from machinery
- Solvent free and non-corrosive Pleasant citrus smell

Product Code	Description	Size
3MCLEAN500	3M™ Industrial Cleaner	500ml







#### 3M<sup>™</sup>ATG 700

- Not double sided tape, more like glue on a roll
- Applies adhesive while removing and rewinding liner back into the applicator to eliminate clean-up
- Provides controlled one-step application with the touch of a finger

Product Code	Description	Size
ATG700APP	3M™ ATG Tape Applicator	Holds various tape widths

#### 3M<sup>™</sup>ATG ADAPTOR KIT

 To be used with the ATG 700 Adhesive Applicator for 6mm x 33M and 6mm x 50M ATG Tape

Product Code	Description	Size
ATG700KIT	3M™ ATG 700 Adaptor Kit	1/4"





#### 3M<sup>™</sup>SCOTCH ATG ADHESIVE TRANSFER TAPE 904

- Quick and mess-free application
- Instant adherence
- Long ageing bond and high shear force
- Perfect for arts and crafts

Product Code	Description	Sizes
ATG904ACAV	3M™ Scotch ATG Transfer Tape 904 – Clear	6mm x 25M
ATG904AIBU	3M™ Scotch ATG Transfer Tape 904 – Clear	12mm x 44M
ATG904APBU	3M™ Scotch ATG Transfer Tape 904 – Clear	19mm x 44M

# 3M<sup>™</sup>SCOTCH ATG ADHESIVE TRANSFER TAPE 969

- Bonds on contact
- Works on a variety of substrate or material combinations
- No mess to clean up
- Cost effective replacement to rivets, staples, screws, bolts, and liquid adhesives

<b>Product Code</b>	Description	Sizes
ATG969ACAM	3M™ Scotch ATG Transfer Tape 969 - Tan	6mm x 16.5M
ATG969AIAM	3M™ Scotch ATG Transfer Tape 969 - Tan	12mm x 16.5M
ATG969AIBD	3M™ Scotch ATG Transfer Tape 969 - Tan	12mm x 33M
ATG969APAM	3M™ Scotch ATG Transfer Tape 969 - Tan	19mm x 16.5M









#### 3M™ DUAL LOCK™ RECLOSABLE FASTENER TWIN PACK

**RANGE** 

- Clear fastener with mushroom shaped stems backed with a clear, acrylic pressure sensitive adhesive
- Five times the tensile strength of typical hook-and-loop fasteners
- Opens and closes 1000 times before losing 50% of its original tensile strength
- 5.8mm engaged thickness

<b>Product Code</b>	Description	Size
SJ356D	3M™ Dual Lock™ Fastener Twin Pack	25mm x 5M



Visit www.directa.co.uk for full Dual Lock™ Rang<sup>e</sup>



#### 3M™ DUAL LOCK™ RECLOSABLE LOW PROFILE FASTENER

- Low profile, polyolefin fastener is half the thickness of standard Dual Lock™ reclosable fasteners and is self-mating
- 1.7mm engaged thickness
   Opens and closes 100 times
- Mushroom shaped stems snap in place to ensure fastener is engaged
- Bonds to metals, glass, many plastics and powder coated paints and medium to low surface energy materials

Product Code	Description	Size
SJ4570	3M™ Dual Lock™ Low Profile Fastener	25mm x 45.7M

#### 3M™ BUMPON PROTECTORS

- Protects delicate surfaces from being marked
- Use with small appliances and desktop or handheld electronic devices
- Applies easily with 3M<sup>TM</sup> pressure sensitive adhesive
- Will not crack or harden.



Product Code	Description	Sizes
SJ530309	3M™ Bumpon Protector - Transparent - sheet of 56	11.1mm x 5.0mm
SJ538209	3M™ Bumpon Protector – Transparent – sheet of 3000	6.4mm x 1.9mm







#### 3M™ SPRAY 77 - MULTI PURPOSE ADHESIVE SPRAY

- Joins a wide range of lightweight materials
- Apply directly on to surfaces with easy to dispense spray formula
- Get a fast permanent bond in seconds
- Forms strong bonds with paper, cardboard, fabric, cushion foam, plastic, metal, wood and more

Product Code	Description	Size
SPRAY77	3M™ Spray 77 – Multi Purpose	500ml

#### 3M™ SPRAY 75 - REPOSITIONABLE ADHESIVE SPRAY

- Ideal for temporary hold and positioning of lightweight materials
- Join delicate substrates without damaging the material
- Heat resistance is 110°F
- Dries clear

Product Code	Description	Size
SPRAY75	3M™ Spray 75 – Repositionable Adhesive Spray	500ml





#### 3M™ DISPLAY MOUNT ADHESIVE SPRAY

- Specifically designed for exhibition stands, studio and theatre sets
- Provides a strong and immediate bond
- Non staining● Dries clear

Product Code	Description	Size
820DMOUNT	3M™ Display Mount Adhesive Spray	400ml

#### 3M™ PHOTO MOUNT ADHESIVE SPRAY

- High-strength adhesive
- Gives an instant, secure hold when used to bond two surfaces together
- CFC and acid free
   Dries clear
- Good resistance to both high temperatures and UV light.

Product Code	Description	Size
820PMOUNT	3M™ Photo Mount Adhesive Spray	400ml



Visit www.directa.co.uk for all our 3M<sup>™</sup> Sprays







#### 3M™ SCOTCH-WELD™ SOLVENT NO. 1

- Use for removing excess adhesives from parts and equipment
- Apply for dilution and viscosity control
- Cleans 3M<sup>™</sup> Fastbond<sup>™</sup> products

Product Code	Description	Size
935SOLV1	3M™ Solvent No. 1	1 Litre

#### 3M™ SCOTCH 1625 ELECTRICAL CONTACT CLEANER SPRAY

- Gently loosens light oxide layers, grease and dirt
- Useful for sensitive electronic parts. E.g. Measuring and controlling instruments, light-duty contacts, switches, relays or circuit breaker
- Can be used on plastics but may corrode rubber

Product Code	Description	Size
1501625	3M™ Scotch 1625 Contact Cleaner Spray	400ml





#### 3M™ COMMAND STRIPS

- The convenient way to bond lighter weight materials together temporarily
  - Easy to apply and remove only the adhesive comes off
  - Ideal for: Temporary signing and posters
  - 1 box = 1000 strips

Product Code	Description	Sizes
155COMML	3M™ Command Strips - Large	7cm x 2cm
155COMMS	3M™ Command Strips - Small	2cm x 1.5cm

#### 3M™ SCOTCH HANG TABS

- Stick to most products or packaging surfaces so that the item can be displayedarily
   Clear sturdy polyester
- Pressure sensitive adhesive backing
- Rubber resin adhesive sticks instantly to most shrink wrapped packages, cartons and product surfaces

<b>Product Code</b>	Description	Sizes
8281074	3M™ Hang Tabs – Round Hole	50.8mm x 50.8mm
8281075	3M™ Hang Tabs – Delta Hole	50.8mm x 50.8mm









- Rubber adhesive
- Easy release liner
- Designed for holding and sealing on a variety of surfaces
- Meets low flammable rating according to DIN4102B1
- Best results obtained when applied to clean dry surfaces above 0°C

<b>Product Code</b>	Description	Size
1436BUBU	3M™ Scotch 1436 Aluminium Foil Tape	50mm x 50M

#### 3M™ DAMPING FOIL TAPF

- Use this tape to die-cut aluminium foil parts and reduce noise in all types of vehicle and appliances
- Acrylic viscoelastic works to absorb vibration
- Reduces noise and metal fatigue
- Thermally conductive for heating and cooling efficiency

Product Code	Description	Size
2552BUBG	3M™ 2552 Damping Foil	50mm x 33M







#### 3M™ SCOTCH 23 RUBBER SPLICING TAPE


- Self-fusing rubber tape for high and low voltage insulating
- Highly conformable
- Will stretch up to 1000% without affecting physical and electrical properties
- Provides excellent insulation for low voltage through to joints up to 69kV

Product Code	Description	Size
011T2319	3M™ Scotch 23 Rubber Tape	19mm x 9.15M

#### 3M™ JET MELT QUADRACK

- 100% solids thermoplastic adhesive allows for adjustment over time to meet different project demands
- Formulated to be flexible at low temperatures to ease modification and positioning during application
- Provides dependability through good shear and peel strength

Product Code	Description	Sizes
3792909AEQ	3M™ 3792 Jet Melt Quadrack – Tan	200mm x 15mm
379209LMQ	3M™ 3792 Jet Melt Quadrack - Clear	200mm x 15mm
376409Q	3M™ 3764 Jet Melt Quadrack – Tan	200mm x 15mm









#### 3M™ REUSABLE HALF MASK 4251+ SERIES

- Maintenance free
- Designed for effective and comfortable protection against many gases, vapours and combination particulate hazards
- Twin inhalation valves
- Optional overspray guard (400+)

<b>Product Code</b>	Description	Size
9904251	3M™ Reusable Half Mask 4251+	( <b>=</b> 7)



#### 3M™ 8835 FFP3 DUST MASKS

- Ensures high efficiency protection against all types of dust, mist, metal and fumes
- Low breathing resistance.
- Can offer protection against various flu viruses
- Supplied in a pack of 5

Product Code	Description	Size
9908835	3M™ 8835 FFP3 Dust Mask	Medium/Large

# FOR OUR FULL RANGE OF 3M MASKS VISIT OUR WEBSITE www.directa.co.uk







#### 3M™ SCOTCH-BRITE™ HANDPADS CF-SR

- Superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks
- Long life more consistent finish over standard pads
- Contains pre-cut sheets on a roll for ease of use
- 35 pads per roll Ultra fine AVFN

Product Code	Description	Size
75007903	3M™ Scotch-Brite™ Handpads	115mm x 150mm

#### 3M™ SCOTCH-BRITE™ EXL DEBURRING WHEELS DB-WL

- Ideal for all large deburring and deflashing operations
- Dark grey
- Minimises heat build up
- Produces a professional finish

Product Code	Description	Size
75018762	3M™ Scotch-Brite™ Deburring Wheel	152mm x 25.4mm x 25.4mm



#### 3M™ SCOTCH-BRITE™ CLEANING AND FINISHING HANDPADS

- Designed for cleaning, blending and finishing applications on a variety of materials
- Wide range of grades to choose from
- Sold in packs of 20 (except for code 75005306 which is sold singularly)

Product Code	Description	Sizes
7500530320	3M™ Scotch-Brite™ Handpads AVFN	155mm x 225mm – Maroon
75005305	3M™ Scotch-Brite™ Handpads AFIN	155mm x 225mm – Lgt Green
75005306	3M™ Scotch-Brite™ Handpads ACRS	155mm x 225mm – Dk Green
75005307	3M™ Scotch-Brite™ Handpads	155mm x 225mm – White








#### 3M™ 310U STICK IT DISCS HOLED

- Great value multi-purpose lightweight paper abrasive discs on a roll
- Premium aluminium oxide on a C weight paper backing
- Resin bonded for a faster cut and longer life
- Load-resistant coating to prolong abrasive life
- Ideal for intermediate and final sanding on lacquered hard and soft woods paints lacquers primers solid surface materials

metals and plastics		
Product Code	Description	Sizes
75000820	3M™ 310 Stick Discs Holed 120 Grit	150mm Diameter
75000828	3M™ 310 Stick Discs Holed 320 Grit	150mm Diameter
75000830	3M™ 310 Stick Discs Holed 400 Grit	150mm Diameter





#### 3M™ 245 HOOKIT ABRASIVE DISCS

- High performance heavy duty E weight aluminium oxide paper product
- Used for stock removal on metal paints and fillers
- Holed/600A 75001691

<b>Product Code</b>	Description	Sizes
75001645	3M™ 245 Hookit Abrasive Discs – 120 Grit	150mm Diameter
75001646	3M™ 245 Hookit Abrasive Discs – 100 Grit	150mm Diameter
75001647	3M™ 245 Hookit Abrasive Discs – 80 Grit	150mm Diameter
75001648	3M™ 245 Hookit Abrasive Discs – 60 Grit	150mm Diameter
75001649	3M™ 245 Hookit Abrasive Discs – 40 Grit	150mm Diameter

#### 3M™ ZIRCONIA FIBRE DISCS 581C

- Heavyweight, with a thermo-formed fibre backing
- Made of an alumina zirconia abrasive on a fibre backing that's closed coated and resin bonded
- Dimensional stability during use, is ensured by slots around the attachment area

<b>Product Code</b>	Description	Sizes
75050501	3M™ Zirconia Fibre Discs 581C – 36 Grit	115mm x 22mm
75050503	3M™ Zirconia Fibre Discs 581C – 60 Grit	115mm x 22mm
75050505	3M™ Zirconia Fibre Discs 581C – 80 Grit	115mm x 22mm
75050507	3M™ Zirconia Fibre Discs 581C – 120 Grit	115mm x 22mm



Visit www.directa.co.uk for all our 3M<sup>™</sup> Abrasive Discs







#### 3M™ ABRASIVE WET OR DRY 734 PAPER SHEETS

- Use for wet or dry sanding applications
- Good surface quality
- Flexible and conformable water resistant backing
- Can be used on paints, gel coats and lacquers
- Wide range of grades available

Product Code	Description	Sizes
75002005	3M™ Wet or Dry 734 Paper Sheets - 1200 Grit	230mm x 280mm
75002006	3M™ Wet or Dry 734 Paper Sheets - 1000 Grit	230mm x 280mm
75002007	3M™ Wet or Dry 734 Paper Sheets - 800 Grit	230mm x 280mm
75002008	3M™ Wet or Dry 734 Paper Sheets - 600 Grit	230mm x 280mm
75002009	3M™ Wet or Dry 734 Paper Sheets - 500 Grit	230mm x 280mm
75002010	3M™ Wet or Dry 734 Paper Sheets - 400 Grit	230mm x 280mm
75002012	3M™ Wet or Dry 734 Paper Sheets - 320 Grit	230mm x 280mm
75002013	3M™ Wet or Dry 734 Paper Sheets - 280 Grit	230mm x 280mm
75002014	3M™ Wet or Dry 734 Paper Sheets - 240 Grit	230mm x 280mm
75002015	3M™ Wet or Dry 734 Paper Sheets - 220 Grit	230mm x 280mm
75002018	3M™ Wet or Dry 734 Paper Sheets - 180 Grit	230mm x 280mm
75002019	3M™ Wet or Dry 734 Paper Sheets - 150 Grit	230mm x 280mm
75002020	3M™ Wet or Dry 734 Paper Sheets - 120 Grit	230mm x 280mm
75002021	3M™ Wet or Dry 734 Paper Sheets - 100 Grit	230mm x 280mm

#### 3M™ 314D EMERY CLOTH ROLL

- Versatile aluminum oxide abrasive roll can be used on metal, wood, and plastic
- Cloth backing is both flexible and durable to withstand heavy use
- Strips can be torn to size and wound around circular pieces. twisted to fit cylinders, or folded to reach into corners
- Handy packaging provides easy portability
- Use for deburring, blending and repairing metal finishes

