DIRECTOR INDUSTRY SINCE 107

Tel: 01621 828882 Email: sales@directa.co.uk www.directa.co.uk

Page: 1

Compilation date: 03.05.12

Revision date: 04.09.20

Revision No: 10

# DRAIN ROD

# ZHC1307 Liqui-Genius Drain Rod - Drain and Sink Unblocker

# Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Concentrated acid drain cleaner. FOR PROFESSIONAL AND INDUSTRIAL USE ONLY.

ACQUISITION, POSSESSION OR USE BY THE GENERAL PUBLIC IS RESTRICTED.

#### 1.2. Details of the supplier of the safety data sheet

Directa UK Ltd Cold Norton Essex CM3 6UA

Tel: 01621 828882

Email: sales@directa.co.uk

# 1.3. Emergency telephone number

Emergency tel: 01621 828882

# Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

#### 2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

LIQUI GENIUS DRAIN ROD

Page: 2

**Precautionary statements:** P102: Keep out of reach of children.

P405: Store locked up.

P260: Do not breathe fumes.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

Haz. ingredients (label): Contains:

SULPHURIC ACID 96%

ACQUISITION, POSSESSION OR USE BY GENERAL PUBLIC IS RESTRICTED.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### SULPHURIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-639-5	7664-93-9	-	Skin Corr. 1A: H314	>90%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary.

If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to

fresh air in case of accidental inhalation of vapours. If conscious, ensure the casualty

sits or lies down. Transfer to hospital as soon as possible.

LIQUI GENIUS DRAIN ROD

Page: 3

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage. There may be severe pain.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

# 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes of sulphur oxides.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Small spills may be neutralised with Sodium BiCarbonate (baking powder).

#### 6.4. Reference to other sections

LIQUI GENIUS DRAIN ROD

Page: 4

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Hazardous ingredients:

#### **SULPHURIC ACID...100%**

#### Workplace exposure limits:

#### Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.05 mg/m3	1	-	-

#### **DNEL/PNEC Values**

#### **DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

#### Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Astringent

Evaporation rate: Negligible

Oxidising: Oxidising (by EC criteria)

Solubility in water: Reacts with water.

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: No data available.

Flammability limits %: lower: Not applicable.

LIQUI GENIUS DRAIN ROD

Page: 5

upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

**Relative density:** 1.85 **pH:** 0.5 - 1.0

VOC g/I: 0

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Metals. May produce explosive Hydrogen gas on contact with

most metals. Bases.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of sulphur oxides.

#### **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### **SULPHURIC ACID...100%**

0.01	D. T.	1.550	0.440	,,
ORL	RAT	LD50	2140	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Eye contact: Corneal burns may occur. May cause permanent damage. There may be severe pain.
Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

LIQUI GENIUS DRAIN ROD

Page: 6

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

# Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Non-volatile. Soluble in water.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Recovery operations:** Not applicable.

Waste code number: 20 01 14

**Disposal of packaging:** Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1830

#### 14.2. UN proper shipping name

Shipping name: SULPHURIC ACID 95%

# 14.3. Transport hazard class(es)

Transport class: 8

LIQUI GENIUS DRAIN ROD

Page: 7

#### 14.4. Packing group

Packing group: ||

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

#### 14.6. Special precautions for user

Tunnel code: E
Transport category: 2

# **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** This product is subject to the Control of Poisons and Explosive Percursor Regulations

2015 (updated 2018). Offensive Weapons Act 2019: it is an offense to sell this material

to a person under the age of 18 years.

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Product requires CRC (child resistant closure) and TDW (tactile danger warning) for

retail sale to the general public.

Acquisition, possession or use by the general public is restricted.

Offensive Weapons Act 2019: It is an offense to sell this material to a person under the

age of 18 years.

Phrases used in s.2 and s.3: H314: Causes severe skin burns and eye damage.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. For professional

and industrial use only.