

Tel: 01621 828882 Email: sales@directa.co.uk www.directa.co.uk

Liqui-Genius Crystal Clear - Drain and Sink Unblocker ZHC1KGCCLR - 1 Litre ZHC50GCCLR - 50g

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use,Consumer use
Use of the substance/mixture : Cleaning/washing agents and additives
Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Directa UK Ltd Cold Norton Essex CM3 6UA

Tel: 01621 828882 Email: sales@directa.co.uk www.directa.co.uk

1.4. Emergency telephone number

Emergency number : 01621 828882

MONDAY TO FRIDAY 9:00AM-5:00PM

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) : Danger

Contains : 15-<30% oxygen-based bleaching agents.

Hazard statements (CLP) : H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear eye protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

004 0.............

P321 - Specific treatment (see supplemental first aid instruction on this label).

P405 - Store locked up.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	≥ 50	Skin Corr. 1A, H314
sodium percarbonate	CAS-No.: 15630-89-4 EC-No.: 239-707-6 REACH-no: 01-2119457269- 30	≥ 10 - < 30	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498- 19-xxxx	≥ 10 - < 30	Eye Irrit. 2, H319
CITRIC ACID MONOHYDRATE	CAS-No.: 5949-29-1 EC-No.: 201-069-1 REACH-no: 01-2119457026- 42-XXXX	≥ 5 – < 10	Eye Irrit. 2, H319

Specific concentration limits: see section 16
Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

: Call a physician immediately.

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

3/8/2022 (Revision date) GB - en 2/11

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

3/8/2022 (Revision date) GB - en 3/11

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)	odium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits			
Local name	Sodium hydroxide		
WEL STEL (OEL STEL) 2 mg/m³			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White powder or lumps.

Colour : white.
Odour : lemon-like.
Odour threshold : No data available

pH : 14

pH solution : 14 1% solution Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Auto-ignition temperature : Not applicable : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available

Density : $\approx 1 \text{ g/l}$

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Harmful if swallowed. Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

_		A	_		_
	ĸ	Δ	_	_	_

ATE CLP (oral) 2000 mg/kg bodyweight

sodium percarbonate (15630-89-4)

LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA Guideline

Skin corrosion/irritation : Causes severe skin burns.

pH: 14

Serious eye damage/irritation Causes serious eye damage.

pH: 14

Not classified

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard **CITRAFIZZ**

Viscosity, kinematic Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Not rapidly degradable

sodium percarbonate (15630-89-4)

EC50 - Crustacea [1] 4.9 mg/l Test organisms (species): Daphnia pulex

12.2. Persistence and degradability

CITRIC ACID MONOHYDRATE (5949-29-1)

Biodegradation 100 %

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
UN 1823	Not regulated	UN 1823	UN 1823
g name			
SODIUM HYDROXIDE, SOLID	Not regulated	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID
iption			
UN 1823 SODIUM HYDROXIDE, SOLID, 8, II	Not regulated	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II
class(es)			
8	Not regulated	8	8
8	Not regulated	8	8
II	Not regulated	II	II
ards			
Dangerous for the environment: No Marine pollutant: No	Not regulated	Dangerous for the environment: No	Dangerous for the environment: No
	g name SODIUM HYDROXIDE, SOLID iption UN 1823 SODIUM HYDROXIDE, SOLID, 8, II Elass(es) 8 II ards Dangerous for the environment: No	g name SODIUM HYDROXIDE, SOLID SOLID SIPTION UN 1823 SODIUM HYDROXIDE, SOLID, 8, II Blass(es) 8 Not regulated Not regulated	SODIUM HYDROXIDE, SOLID SODIUM HYDROXIDE, SOLID Iption UN 1823 SODIUM HYDROXIDE, SOLID, 8, II Whydroxide, Solid, 8, II Stass(es) II Not regulated Not regulated Not regulated II II II II II II II II II

14.6. Special precautions for user

Overland transport

(ADR)

Classification code (ADR) : C6

Limited quantities (ADR) : 1kg

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T3

Portable tank and bulk container special provisions : TP33

3/8/2022 (Revision date) GB - en 7/11

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank code (ADR) : SGAN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1823

Tunnel restriction code (ADR) : E EAC code : 2W

Transport by sea

Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B21, B4 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage) Stowage category (IMDG) : A

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin.

evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tir Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

Air transport

Not regulated

Inland waterway transport

Classification code (ADN) : C6
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID): C6Limited quantities (RID): 1kgExcepted quantities (RID): E2

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAN
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W11
Colis express (express parcels) (RID) : CE10
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Germanie in Gustanie (e) noted en uie i en net (i tegunanen 10 10 io) i en persieten en game penanante)			
Detergent Regulation (648/2004/EC): Ingredient data sheet			
Component CAS-No. %			
sodium hydroxide; caustic soda	1310-73-2	≥10%	
SODIUM CARBONATE PEROXIDE	15630-89-4	≥10%	
sodium carbonate	497-19-8	≥10%	
CITRIC ACID MONOHYDRATE	5949-29-1	1 - 10%	
Sodium hydrogen carbonate	144-55-88	1 - 10%	

Detergent Regulation (648/2004/EC): Labelling of contents		
Component %		
oxygen-based bleaching agents 15-<30%		

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

: None of the components are listed

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

Denmark

Switzerland

Danish National Regulations

Deliliark

: Young people below the age of 18 years are not allowed to use the product

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Safety Data Sheet (SDS) Detergent Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.